Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5337318".pn.	USPAT	OR.	OFF	2004/12/14 07:41
L6	1	"5337318".pn. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((pass or test) with column) and ((pass or test) with (row near5 address)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	USPAT	OR	ON	2004/12/14 10:11
L11	3	("4339657" "4414665" "5224101") PN.	US-PGPUB; USPAT;	OR	OFF	2004/12/14 07:49
" " : ·			USOCR	14.		
L12	15	("5337318").URPN.	USPAT	OR	OFF	2004/12/14 07:49
L13	0	("4339657" "4414665" "5224101").PN. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic	USPAT; USOCR	OR	ON	2004/12/14 07:49
	*	or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or				
		"next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))				
L14	1	("5337318").URPN. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	USPAT	OR	ON	
L15	0	("4339657" "4414665" "5224101").PN. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((pass or test) with column) and ((pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	USPAT; USOCR	OR	ON	2004/12/14 07:50

L16	0	("4339657" "4414665" "5224101").PN.	USPAT;	OR	ON	2004/12/14 07:50
LIO		and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((pass or test) with column) and ((pass or test) with (row near5 address)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	USOCR	OK	ON	
L17	1	e\$fuse near5 macro	US-PGPUB; USPAT	OR	ON	2004/12/14 08:57
L18	556	((failed or failure) near3 address near3 (register or memory))	US-PGPUB; USPAT	OR	ON	2004/12/14 08:58
L19	48	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((pass or test) with column) and ((pass or test) with (row near5 address)) and ((spare or redundant or redundancy or replacement) near4 (column or row)) and ((failed or failure) near3 address near3 (register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/14 08:59
L20	5	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (first near5 (pass or test) with column) and (second near5 (pass or test) with (row near5 address)) and ((spare or redundant or redundancy or replacement) near4 (column or row)) and ((failed or failure) near3 address near3 (register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/14 09:00
S1	14	("4701887" "5469389" "5506807" "5621691" "5831915" "5896328" "5999450" "6115300" "6134142" "6327197" "6366508" "6426902" "6445626" "6571348").pn.	USPAT	OR	OFF	2004/12/14 07:40
S2	186	360/26.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:50
S3	104	360/47.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:41
S5	383	360/39.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:42
S6	, 591	365/185.09.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:43
S7	3446	365/200.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49
S8	423	702/85.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49
S9	304	702/108.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49
S10	490	702/117.ccls.	US-PGPUB; USPAT	OR	OFF .	2004/12/07 09:49
S11	205	702/118.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49

S12	63	714/100.ccls.	US-PGPUB;	OR	OFF	2004/12/07 09:49
S13	1329	714/6.ccls.	USPAT US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49
S14	198	714/12.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:49
S15	650	714/758.ccls	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:50
S16	418	714/763.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/07 09:50
S17	0	360/26.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:55
S18	2	360/47.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:03
S19	4	360/53.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:05
S20	0	360/39.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:55
S21	75	365/185.09.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	.OR	ON	2004/12/07 10:05
S22	1016	365/200.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:06
S23	0	702/85.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:56
S24	0	702/108.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:56

S25	3	702/117 cels and ((row or celumn) most	LIC DCDLID	OR	ON	2004/12/07 10:05
	3	702/117.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT			2004/12/07 10:06
S26	2	702/118.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:01
S27	33	714/6.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:06
S28	0	714/12.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:57
S29	0	714/58.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:57
S30	0	714/63.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:58
S31	0	714/100.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory)))	US-PGPUB; USPAT	OR	ON	2004/12/07 09:58
S32	0	360/47.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:05
S33	0	360/53.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:05
S34	4	365/185.09.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test))	US-PGPUB; USPAT	OR -	ON	2004/12/07 10:07

S35	7.5	265/20011/(1) 5	LIC DCDLID	OD	ON	2004/12/07 10 12
833	75	365/200.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:12
S36	0	702/117.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or	US-PGPUB; USPAT	OR	ON	2004/12/07 10:06
	A :	(random adj access adj memory) or dram or	USPAT			
		sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or				54900
		self\$examination or bist or (built\$in adj self\$test))			-	
S37	0	702/118.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test))	US-PGPUB; USPAT	OR	ON	2004/12/07 10:06
S38	3	714/6.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or	US-PGPUB; USPAT	OR	ON	2004/12/07 10:08
	r	(random adj access adj memory) or dram or	OBITI			-
		sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or	* *			-
	*	self\$examination or bist or (built\$in adj self\$test))		18 ×		
S39	11	365/200.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass)	US-PGPUB; USPAT	OR	ON	2004/12/07 10:13
S40	9	365/200 ccls. and ((row or column) near5	US-PGPUB;	OR	ON,	2004/12/07 10:15
~		(redundant or redundancy)) and (ram or (random adj access adj memory) or dram or	USPAT			
		sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)				• ,
S41	13	"365"/\$.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or	US-PGPUB; USPAT	OR	ON	2004/12/07 10:16
		subsequent or following or "next" or secondary or later) near5 pass)				

					-	
S42	0	"702"/\$.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)	US-PGPUB; USPAT	OR	ON	2004/12/07 10:15
S43	12	"714"/\$.ccls. and ((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or	US-PGPUB; USPAT	OR	ON	2004/12/07 10:16
		subsequent or following or "next" or secondary or later) near5 pass)	(C. v.			
S44	36	((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)	US-PGPUB; USPAT	OR	ON	2004/12/07 10:28
S45	0	((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)	USOCR	OR	ON	2004/12/07 10:28
S46	0	((row or column) near5 (redundant or redundancy)) and (ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)	EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/07 10:29

S47	0	((row or column) near5 (redundant or	EPO; JPO;	OR	ON	2004/12/07 10:29
57/		redundancy)) and (memory or ram or	DERWENT	O.K	OIY	2004/12/07 10:29
		(random adj access adj memory) or dram or	; IBM_TDB			
		sram or ((dynamic or static) near5 (random	, IDM_IDB			
		adj access adj memory))) and (self\$test or				
		self\$examination or bist or (built\$in adj				
		self\$test)) and ((first or initial or primary or				
		beginning) near5 pass) and ((second or				
		subsequent or following or "next" or				
		secondary or later) near5 pass)				
S48	0	((method\$5 or process or procedure) with	US-PGPUB;	OR~	ON	2004/12/07 10:53
540		(self\$test\$3 or self\$exam\$7) with allocat\$3	USPAT;	- OR	OIV	2004/12/07 10.55
		with (repair\$3 or reparation) with ((random	USOCR;			
,	-	adj access adj memory) or memory or ram	EPO; JPO;		.0	
		or dram or sram or ((dynamic or static)	DERWENT			. *
		near3 (random adj access adj memory))	; IBM TDB			
		with ((spare or redundant or excess) near4	, 10111_100	,		
·		(column or row)))) and ((perform\$4 with		. 0	. •	
-		(first or initial or primary or beginning) with	٠			
	-	(second\$3 or later or subsequent or "next"				
		or following) with (pass or passes) with	9			
		(self\$test\$3 or self\$exam\$7) with ((random				
		adj access adj memory) or memory or ram		,		
		or dram or sram or ((dynamic or static)				1)
		near3 (random adj access adj memory))))) and ((first or initial or primary or beginning)				
		with (pass or passes) with (self\$test\$3 or				, <u>.</u>
		self\$exam\$7) with determin\$5 with (worst				
* *		or most) with fail\$3 with column with		4, 2,		*.
		((random adj access adj memory) or				0°°
		memory or ram or dram or sram or				
. b.		((dynamic or static) near3 (random adj				-
	100	access adj memory) with (after or later or				
		subsequent or "next" or following) with				
	*/	complet\$3 with (first or initial or primary or				
*		beginning) with (pass or passes) with				
. 4	1 0	(self\$test\$3 or self\$exam\$7) with (assign\$4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
100		or allocat\$3) with (spare or redundant or		i		·
		excess) with column replac\$4 with (worst or most) with fail\$3 with column))) and				
	·	((second\$3 or later or subsequent or "next"	x =		,	* * *
,		or following) with (pass or passes) with				
		(self\$test\$3 or self\$exam\$7) with				
		determin\$5 with (particular or specific or				
		unique) with fail\$3 with row with memory	•			
8-		with (addresses or address)) and ((after or	•			
		later or subsequent or "next" or following)				
		with complet\$3 with (second\$3 or later or				
		subsequent or "next" or following) with				
		(pass or passes) with (self\$test\$3 or	÷ .			
		self\$exam\$7) with allocat\$3 with (spare or				
		redundant or excess) with row with replac\$4	5			
		with fail\$3 with row)	,			

040	2.1	(11/705040111/7/0/041111/7/0105011	TIO DODIE	O.D.	0)1	2004/10/25 11 25
S49	21	("6795942" "6768694" "6691252" "6686747" "6639857" "6634003" "6625746" "6611458" "6546503" "6507524" "6496947" "6445626" "6408401" "6373758" "6366508" "6259637" "6263295" "5961653" "5920515" "5841712" "5815437" "5784323" "5680544" "5299203" "4833677" "20020196029" "20020108073" "20030076125" "20040066695" "20040136257" "2004204891").pn. and ((row or column) near5 (redundant or redundancy)) and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and (self\$test or self\$examination or bist or (built\$in adj self\$test)) and ((first or initial or primary or beginning) near5 pass) and ((second or subsequent or following or "next" or secondary or later) near5 pass)	US-PGPUB; USPAT	OR	ON	2004/12/07 14:39
S50	0	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or passes)) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or passes)) and ((worst or most) near3 fail\$3 near3 column) and ((worst or most) near3 fail\$3 near3 row) and ((allocat\$3 or assign\$4 or designat\$3) near4 (spare or redundant or extra or excess or replac\$5) near4 (column or row))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/08 07:46
S51	16	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or passes)) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or passes)) and (fail\$3 near3 row) and ((spare or redundant or extra or excess or replac\$5) near4 (column or row))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/07 14:50
S52	5	("4460997" "4460999" "4736373" "5355340" "6259637").pn.	USPAT	OR	OFF	2004/12/08 08:56
S53	976	360/53.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/08 07:29
S54	3	("6373758" "6691252" "20020108073"). pn.	US-PGPUB; USPAT	OR	OFF	2004/12/08 07:41

S55	8	("6373758" "6691252" "20020108073" "4460997" "4460999" "4736373" "5355340" "6259637" "20020108073").pn. and ((first or initial or beginning) near3 (pass or passes or test or testing)) and ((second or following or subsequent or after or later) near3 (pass or passes or test or testing))	US-PGPUB; USPAT	OR	ON	2004/12/08 07:42
S56	28	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/08 09:20
S57	14	(memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2004/12/08 08:04
S58	28	(semi\$conductor or microchip or microprocessor or microelectronic or memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or bisr or (built adj self adj (test or repair)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2004/12/08 09:21
S59	1	((method or methodology or process or procedure or algorithm) same (self\$test\$3 or self\$exam\$7 or bist or (built adj self adj (test or repair)))) and ((spare or redundant or redundancy) near4 (column or row)) and e\$fuse and (far or (failing adj address adj register)) and ((first or intial or beginning) near3 pass) and ((second or subsequent or "next" or following or later) near3 pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/08 12:12

S60	12	((method or methodology or process or procedure or algorithm) same (self\$test\$3 or self\$exam\$7 or bist or (built adj self adj (test or repair)))) and ((spare or redundant or redundancy) near4 (column or row)) and (far or (failing adj address adj register)) and ((first or intial or beginning) near3 pass) and ((second or subsequent or "next" or following or later) near3 pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/08 12:18
S61	- '4	((self\$test\$3 or self\$exam\$7 or bist or (built adj self adj (test or repair)))) and (first with pass with ((redundant or spare or redundancy) near4 column)) and (((second or subsequent) with pass) with ((redundant or spare or redundancy) near4 row))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/08 13:59
S62	8	eustis-steven-m.in.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:07
S63	2	mondal-krishnendu.in.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:00
S64	27	ouellette-michael-r.in.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:02
S65	6	hughes-brian-william.in.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:09
S66	12	howlett-warren-kurt.in.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:14
S67	2721	365/201.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:15
S68	496	714/7.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:15
S69	389	714/10.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:15
S70	490	714/11.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/08 14:15
S71	5	365/201.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/08 14:17

				 -		
S72	4	714/7.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/08 14:51
S73	0	714/10.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj	US-PGPUB; USPAT	OR	ON	2004/12/08 14:16
4		test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))				
S74	0	714/11.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/08 14:16
S75	7	"365"/\$.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or	US-PGPUB; USPAT	OR	ON	2004/12/08 14:52
		subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	Service Servic		*	

S76		"714"/\$.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/08 14:53
S77	0	"702"/\$.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/08 14:52
S78	429	714/710.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 08:55
S79	227	714/711.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 08:55
S80	2	714/710.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/09 12:36
S81	1	714/711.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/09 08:58
S82	83	714/41.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 12:36

	T					
S83	544	714/42.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 12:36
S84	718	714/733.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 12:36
S85	346	714/734.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/09 12:36
S86	0	714/41.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or	US-PGPUB; USPAT	OR	ON	2004/12/09 12:37
		secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column				
S87	2	or row)) 714/42.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/09 12:38
S88	1	714/733.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/09 12:39
S89	0	714/734.ccls. and (memory or ram or (random adj access adj memory) or dram or sram or ((dynamic or static) near5 (random adj access adj memory))) and ((first or initial or primary or beginning) near3 (pass or test) with column) and ((second or subsequent or following or "next" or secondary or later) near3 (pass or test) with (row near5 address)) and (self\$test\$3 or self\$examin\$5 or bist or (built adj self adj test)) and ((spare or redundant or redundancy or replacement) near4 (column or row))	US-PGPUB; USPAT	OR	ON	2004/12/09 12:37